

Publications of Yves Muller (as of July 2017)

- [79] Marschall, M., Muller, Y. A., Diewald, B., Sticht & H., Milbradt, J. (2017). The human cytomegalovirus nuclear egress complex unites multiple functions: Recruitment of effectors, nuclear envelope rearrangement, and docking to nuclear capsids. *Rev Med Virol.* **27**, epub July (PMID: 28664574).
- [78] Peters, B., Stein, J., Klingl, S., Sander, N., Sandmann, A., Taccardi, N., Sticht, H., Gerlach, R. G., Muller, Y. A. & Hensel, M. (2017). Structural and functional dissection reveals distinct roles of Ca²⁺-binding sites in the giant adhesin SiiE of Salmonella enterica. *PLoS Pathog.* **13**, e1006418. (PMID: 28558023).
- [77] Heilingloh, C. S., Klingl, S., Egerer-Sieber, C., Schmid, B., Weiler, S., Mühl-Zürbes, P., Hofmann, J., Stump, J. D., Sticht, H., Kummer, M., Steinkasserer, A. & Muller, Y. A. (2017). Crystal Structure of the Extracellular Domain of the Human Dendritic Cell Surface Marker CD83. *J Mol Biol.* **429**, 1227-1243. (PMID: 28315353).
- [76] Sevvana, M., Hasselt, K., Grau, F. C., Burkovski, A. & Muller, Y. A. (2017). Similarities in the structure of the transcriptional repressor AmtR in two different space groups suggest a model for the interaction with GlnK. *Acta Crystallogr F Struct Biol Commun.* **73**, 146-151. (PMID: 28291750).
- [75] Schäfer, W., Eckart, R. A., Schmid, B., Cagköylü, H., Hof, K., Muller, Y. A., Amin, B. & Lührmann, A. (2017). Nuclear trafficking of the anti-apoptotic Coxiella burnetii effector protein AnkG requires binding to p32 and Importin- α 1. *Cell Microbiol.* **19**, [Epub ahead of print]. (PMID: 27328359).
- [74] Schilling, E. M., Scherer, M., Reuter, N., Schweininger, J., Muller, Y. A. & Stamminger, T. (2017). The human cytomegalovirus IE1 protein antagonizes PML nuclear body mediated intrinsic immunity via the inhibition of PML de novo SUMOylation. *J Virol.* **91**, e02049-16. (PMID: 27903803).
- [73] Fillenberg, S. B., Friess, M., Körner, S., Böckmann, R. A. & Muller, Y. A. (2016). Crystal structures of the global regulator DasR from Streptomyces coelicolor: Implications for the allosteric regulation of GntR/HutC repressors. *PLoS One* **11**, e0157691. (PMID: 27337024).
- [72] Rudolph, K., Parthier, C., Egerer-Sieber, C., Geiger, D., Muller, Y. A., Kreis, W. & Müller-Uri, F. (2016). Expression, crystallization and structure elucidation of gamma-terpinene synthase from *Thymus vulgaris* L.. *Acta cryst. section F* **72**, 16-23. (PMID: 26750479).
- [71] Scherer, M., Otto, V., Stump, J. D., Klingl, S., Müller, R., Reuter, N., Muller, Y. A., Sticht, H. & Stamminger, T. (2015). Characterization of recombinant human cytomegaloviruses encoding IE1 mutants L174P and 1-382 reveals that viral targeting of PML bodies perturbs both intrinsic and innate immune responses. *Journal of Virology* **90**, 1190-1205. (PMID: 26559840).

- [70] Walzer, S. A., Egerer-Sieber, C., Sticht, H., Sevvana, M., Hohl, K., Milbradt, J., Muller, Y. A. & Marschall, M. (2015). Crystal structure of the human cytomegalovirus pUL50-pUL53 core nuclear egress complex provides insight into a unique assembly scaffold for virus-host protein interactions. *J. Biol. Chem.* **290**: 27452-27458. (PMID: 26432641).
- [69] Tenconi E., Urem M., Świątek-Połatyńska M. A., Titgemeyer F., Muller Y. A., van Wezel G. P. & Rigali S. (2015). Multiple allosteric effectors control the affinity of DasR for its target sites. *Biochem Biophys Res Commun.* **464**, 324-329. (PMID: 26123391)
- [68] Klingl, S., Scherer, M., Stamminger, T. & Muller, Y. A. (2015). Controlled crystal dehydration triggers a space group switch and shapes the tertiary structure of cytomegalovirus immediate-early 1 (IE1) protein. *Acta cryst. section D.* **71**, 1493-1504. (PMID: 26143921).
- [67] Fillenberg, S. B., Grau, F. C., Seidel, G. & Muller, Y. A. (2015). Structural insight into operator *dre*-sites recognition and effector binding in the GntR/HutC transcription regulator NagR. *Nucleic Acids Research* **43**, 1283-1296. (PMID: 25564531).
- [66] Scherer, M. Klingl, S., Sevvana, M., Otto, V., Schilling, E.-V., Stump, J. D. Regina Müller, R., Reuter, N., Sticht, H., Muller, Y. A. & Stamminger, T. (2014). Crystal structure of cytomegalovirus IE1 protein reveals a targeting of the TRIM family member PML via coiled-coil interactions. *PLoS Pathogens* **10**, e1004512 (PMID: 25412268).
- [65] Spindler, N., Diestel, U. Stump, J. D., Wieggers, A.-K. Thomas H. Winkler, T. H., Sticht, H., Mach, M. & Muller, Y. A. (2014). Structural Basis for the Recognition of Human Cytomegalovirus Glycoprotein B by a Neutralizing Human Antibody. *PLoS Pathogens* **10**, e1004377 (PMID: 25299639).
- [64] Diestel, U., Resch, M., Meinhardt, K., Weiler, S., Hellmann, T. V., Mueller, T. D., Nickel, J., Eichler, J. & Muller, Y. A. (2013). Identification of a Novel TGF- β -Binding Site in the Zona Pellucida C-terminal (ZP-C) Domain of TGF- β -Receptor-3 (TGFR-3). *PLoS One* **8**, e67214 (PMID: 23826237).
- [63] Muller, Y. A. (2013). Unexpected features in the Protein Data Bank entries 3qd1 and 4i8e: the structural description of the binding of the serine-rich repeat adhesin GspB to host cell carbohydrate receptor is not a solved issue. *Acta cryst. section F* **69**, 1071-1076 (PMID: 24100551).
- [62] Griessl, M. H., Schmid, B., Kassler, K., Braunsmann, C., Ritter, R., Barlag, B., Stierhof, Y.-D., Sturm, K. U. Danzer, C., Wagner, C., Schäffer, T. E., Sticht, H., Hensel, M. & Muller, Y. A. (2013). Structural insight into the giant Ca²⁺-binding adhesin SiiE: implications for the adhesion of *Salmonella enterica* to polarized epithelial cells. *Structure* **21**, 741-752 (PMID: 23562396).
- [61] Gardill, B. R., Vogl, M. R., Lin, H.-Y., Hammond, G. L. & Muller, Y. A. (2012). Corticosteroid-binding globulin: Structure-function implications from species differences. *PLoS One* **7**, e52759 (PMID: 23300763).

- [60] Lehner, M., Götz, G., Proff, J., Schaft, N., Dörrie, J., Full, F., Ensser, A., Muller, Y. A., Cerwenka, A., Abken, H., Parolini, O., Ambros, P., Kovar, H. & Holter, W. (2012). Redirecting T Cells to Ewing's Sarcoma Family of Tumors by a Chimeric NKG2D Receptor Expressed by Lentiviral Transduction or mRNA Transfection. *PLoS One* **7**, e31210 (PMID: 22355347).
- [59] Jens Milbradt, J., Auerochs, S., Sevvana, M., Muller, Y. A., Sticht, H., & Marschall, M. (2012). Specific residues of a conserved domain in the N-terminus of the human cytomegalovirus pUL50 protein determine its intranuclear interaction with pUL53. *J. Biol. Chem.* **287**, 24004-24016 (PMID 22589554).
- [58] Lin, H.-Y., Underhill, C., Lei, J.-H., Helander-Claesson, A., Lee, H.-Y., Gardill, B. R., Muller, Y. A., Wang, H. & Hammond, G. L. (2012). High frequency of SERPINA6 polymorphisms that reduce plasma corticosteroid-binding globulin activity in Chinese subjects. *J Clin Endocrinol Metab.* **97**. E678-E686 (PMID: 22337907).
- [57] Griessl, M. H., Jungkunz, I., Sonnewald, U. & Muller, Y. A. (2012). Purification, crystallization and preliminary X-ray diffraction analysis of the Hsp40 protein CPIP1 from *Nicotiana tabacum*. *Acta cryst. section F* **68**, 236-239 (PMID: 22298008).
- [56] Sevvana, M., Goetz, C., Goeke, D., Wimmer, C., Berens, C., Hillen, W. & Muller, Y. A. (2012). An exclusive alpha/beta code directs allostery in TetR-peptide complexes *J. Mol. Biol.* **416**, 46-56 (PMID: 22178479).
- [55] Sturm, K. U., Griessl, M. H., Wagner, C., Deiwick, J., Hensel, M. & Muller, Y. A. (2011). Crystallization and preliminary crystallographic analysis of an Ig-domain-encompassing fragment of the giant adhesion protein SiiE from *Salmonella enterica*. *Acta cryst. section F* **67**, 1371-1374 (PMID: 22102234).
- [54] Christoffersen, C., Obinata, H., Kumaraswamy, S., Galvani, S., Ahnström, J., Sevvana, M., Egerer-Sieber C., Muller, Y. A., Hla, T., Nielsen, L. B. & Dahlbäck, B. (2011). Endothelium-Protective Sphingosine-1-Phosphate provided by HDL-associated Apolipoprotein M. *Proc. Natl. Acad. Sci. USA* **108**, 9613-9618 (PMID: 21606363).
- [53] Sevvana, M., Kassler, K., Ahnström, J., Weiler, S., Dahlbäck, B., Sticht, H. & Muller, Y. A. (2010). Mouse ApoM Displays an Unprecedented Seven-Stranded Lipocalin Fold: Folding Decoy or Alternative Native Fold? *J. Mol. Biol.* **404**, 363-371.
- [52] Stiebritz, M., Wengrzik, S., Klein, D. L., Richter, J. P., Srebrzynski, A., Weiler, S. & Muller, Y. A. (2010). Computational Design of a Chain-Specific Tetracycline Repressor Heterodimer. *J. Mol. Biol.* **403**, 371-385.
- [51] Bauer, P., Munkert, J., Brydzium, M., Burda, E., Müller-Uri, F., Gröger, H., Muller, Y. A. & Kreis, W. (2010). Highly conserved progesterone 5 β -reductase genes (P5 β R) from 5 β -cardenolide-free and 5 β -cardenolide-producing angiosperms. *Phytochemistry* **71**, 1495-1505.

- [50] Resch, M., Schiltz, E., Titgemeyer, F. & Muller, Y. A. (2010). Insight into the induction mechanism of the GntR/HutC bacterial transcription regulator YvoA. *Nucleic Acids Research* **38**, 2485-2497.
- [49] Avvakumov, G. V., Cherkasov, A., Muller, Y. A. & Hammond GL. (2010). Structural analyses of sex hormone-binding globulin reveal novel ligands and function. *Mol. Cell. Endocrinol.* **316**, 13-23.
- [48] Lin, H. Y., Muller, Y. A. & Hammond, G. L. (2010). Molecular and structural basis of steroid hormone binding and release from corticosteroid-binding globulin. *Mol. Cell. Endocrinol.* **316**, 3-12.
- [47] Hasselt, K., Sevvana, M., Burkovski, A. & Muller, Y. A. (2009). Crystallization and preliminary crystallographic analysis of the global nitrogen regulator AmtR from *Corynebacterium glutamicum*. *Acta cryst. section F* **65**, 1123-1127.
- [46] Sevvana, M., Ahnström, J., Egerer-Sieber, C., Dahlbäck, B. & Muller, Y.A. (2009). Serendipitous fatty acid binding reveals the structural determinants for ligand recognition in apolipoprotein M. *J. Mol. Biol.* **393**, 920-936.
- [45] Resch, M., Roth, H. M., Kottmair, M., Sevvana, M., Bertram, R., Titgemeyer, F. & Muller, Y. A. (2009). Cloning, expression, purification, crystallization and preliminary X-ray diffraction analysis of YvoA from *Bacillus subtilis*. *Acta cryst. section F* **65**, 410-414.
- [44] Klieber, M. A., Scholz, O., Lochner, S., Gmeiner, P., Hillen, W. & Muller, Y.A. (2009). Structural origins for selectivity and specificity in a designed bacterial repressor-inducer pair. *FEBS J.* **276**, 5610-5621
- [43] Lin, H-Y., Underhill, C., Gardill, B. R., Muller, Y. A. & Hammond, G. L. (2009). Residues in the human corticosteroid-binding globulin reactive center loop that influence steroid binding before and after elastase cleavage. *J. Biol. Chem.* **284**, 884-896.
- [42] Herl, V., Fischer, G., Reva, V. A., Stiebritz, M., Muller, Y. A., Müller-Uri, F. & Kreis, W. (2009). The VEP1 gene (At4g24220) encodes a short-chain dehydrogenase/reductase with 3-oxo-D4,5-steroid 5b-reductase activity in *Arabidopsis*. *Biochimie* **91**, 517-525.
- [41] Resch, M., Striegl, H., Henssler, E. M., Sevvana, M., Egerer-Sieber, C., Schiltz, E., Hillen, W. & Muller, Y. A. (2008). A protein functional leap: how a single mutation reverses the function of the transcription regulator TetR. *Nucleic Acids Research* **36**, 4390-4401.
- [40] Thorn, A., Egerer-Sieber, C., Jäger, C. M., Herl, V., Müller-Uri, F., Kreis, W. & Muller, Y. A. (2008) The crystal structure of progesterone 5 β -reductase from *Digitalis lanata* defines a novel class of short-chain dehydrogenases/reductases. *J. Biol. Chem.* **283**, 17260-17269.
- [39] Klieber, M. A., Underhill, C., Hammond, G. L. & Muller, Y. A. (2007) Corticosteroid-binding globulin, a structural basis for steroid transport and proteinase-triggered release. *J. Biol. Chem.* **282**: 29594-29603.

- [38] Luckner, S. R., Klotzsche, M., Berens, C., Hillen, W. & Muller, Y. A. (2007). How a peptide mimics the antibiotic tetracycline to induce Tet repressor. *J. Mol. Biol.* **368**, 780-790.
- [37] Pimentel-Schmitt, E. F., Thomae, A. W., Amon, J., Klieber, M. A., Roth, H.-M., Muller, Y. A., Burkovski, A. & Titgemeyer, F. (2007). A Glucose Kinase from *Mycobacterium Smegmatis*. *J. Mol. Microbiol. Biotechnol.* **12**, 75-81.
- [36] Romir, J., Lilie, H., Egerer-Sieber, C., Bauer, F., Sticht, H. & Muller, Y. A. (2006). Crystal Structure Analysis and Solution Studies of Human Lck-SH3; Zinc-induced Homodimerization Competes with the Binding of Proline-rich Motifs. *J. Mol. Biol.* **365**, 1417-1428.
- [35] Stiebritz, M. T. & Muller Y. A. (2006). MUMBO: a protein-design approach to crystallographic model building and refinement. *Acta Crystallograph. D, Biol. Crystallogr.* **62**, 648-658.
- [34] Egerer-Sieber, C., Herl, V., Müller-Uri, F., Kreis, W. & Muller Y. A. (2006). Crystallization and preliminary crystallographic analysis of selenomethionine-labelled progesterone 5beta-reductase from *Digitalis lanata* Ehrh. *Acta Crystallograph. Sect. F, Struct. Biol. Cryst. Commun.* **62**, 186-188.
- [33] Heiring, C., Dahlback, B. & Muller Y. A. (2004). Ligand recognition and homophilic interactions in Tyro3: Structural insights into the Axl/Tyro3 receptor tyrosine kinase family. *J. Biol. Chem.* **279**, 6952-6958.
- [32] Hammond, G. L., Avvakumov, G. V. & Muller, Y. A. (2003). Structure/Function analyses of human sex hormone-binding globulin: Effects of zinc on steroid-binding specificity. *J. Steroid Biochem. Mol. Biol.* **85**, 195-200.
- [31] Avvakumov, G. V., Grishkovskaya, I., Muller, Y. A. & Hammond, G. L. (2002). Crystal structure of human sex hormone-binding globulin in complex with 2-methoxyestradiol reveals the molecular basis for high-affinity interactions with C-2 derivatives of estradiol. *J. Biol. Chem.* **277**, 45219-45225.
- [30] Grishkovskaya, I., Avvakumov, G. V., Hammond, G. L., Catalano, M. G. & Muller, Y. A. (2002). Steroid ligands bind sex hormone-binding globulin in specific orientations and produce distinct changes in protein conformation *J. Biol. Chem.* **277**, 32086-32093.
- [29] Muller, Y. A., Heiring, C., Misselwitz, R., Welfle, K. & Welfle, H. (2002). The cystine knot promotes folding and not thermodynamic stability in vascular endothelial growth factor. *J. Biol. Chem.* **277**, 43410-43406.
- [28] Grishkovskaya, I., Avvakumov, G. V., Hammond, G. L. & Muller, Y. A. (2002). Resolution of a disordered region at the entrance of the sex hormone-binding globulin steroid-binding site. *J. Mol. Biol.* **318**, 621-626.
- [27] Werner, E., Ziegler, M., Lerner, F., Schweiger, M., Muller, Y. A. & Heinemann, U. (2002). Crystallization and preliminary X-ray analysis of human nicotinamide mononucleotide adenylyltransferase (NMNAT) *Acta cryst. section D* **58**, 140-142.

- [26] Avvakumov, G. V., Grishkovskaya, I., Muller, Y. A. & Hammond, G. L. (2001). Resolution of the human sex hormone-binding globulin dimer interface and evidence for two steroid-binding sites per homodimer *J. Biol. Chem.* **276**, 34453-34457.
- [25] Faelber, K., Kirchhofer, D., Presta, L., Kelley, R. & Muller, Y. A. (2001). The 1.85 Å resolution crystal structures of tissue factor in complex with humanized Fab D3h44 and of free humanized Fab D3h44; revisiting the solvation of antigen combining sites. *J. Mol. Biol.* **313**, 83-97.
- [24] Muller, Y. A. & Heinemann, U. (2001). Molekülmodelle und Modellmoleküle: Strukturanalyse großer biologischer Moleküle für die Medizin. In: "Handbuch der molekularen Medizin, Band 1: Molekulare und Zellbiologische Grundlagen (Neuaufgabe, überarbeitete und erweiterte Fassung)" (Ganten, D. & Ruckpaul, K., eds). Springer Berlin Heidelberg.
- [23] Heiring, C. & Muller, Y. A. (2001). Folding screening assayed by proteolysis: Application to various cysteine deletion mutants of vascular endothelial growth factor. *Prot. Eng.* **14**, 183-188.
- [22] Rudenko, G., Hohenester, E. & Muller, Y. A. (2001). LG / LNS domains: many functions, one business end? *Trends Biochem. Sci.* **26**, 363-368.
- [21] Villoutreix, B. O., Dahlbäck, B., Borgel, D., Gandrille, S. & Muller, Y. A. (2001). Three-dimensional model of the SHBG-like region of anticoagulant protein S: New structure-function insights. *Proteins: Struct. Funct. Genet.* **43**, 203-216.
- [20] Avvakumov, G. V., Muller, Y. A. & Hammond, G. L. (2000). Steroid-binding specificity of human sex hormone-binding globulin is influenced by occupancy of a zinc-binding site. *J. Biol. Chem.* **275**, 25920-25925.
- [19] Wiesmann, C., Muller, Y. A. & de Vos, A. M. (2000). Ligand-binding sites in Ig-like domains of receptor tyrosine kinases. *J. Mol. Med.* **78**, 247-260.
- [18] Grishkovskaya, I., Avvakumov, G. V., Sklenar, G., Dales, D., Hammond, G. L. & Muller, Y. A. (2000). Crystal structure of human sex hormone-binding globulin: steroid transport by a laminin G-like domain. *EMBO J.* **19**, 504-512.
- [17] Grishkovskaya, I., Sklenar, G., Avvakumov, G. V., Dales, D., Behlke, J., Hammond, G. L. & Muller, Y. A. (1999). Crystallisation of the N-terminal domain of human sex hormone-binding globulin, the major sex steroid carrier in blood. *Acta cryst. section D* **55**, 2053-2055.
- [16] Mueller, U., Muller, Y. A., Herbst-Irmer, R., Sprinzl, M. & Heinemann, U. (1999). Disorder and twin refinement of RNA heptamer double helices. *Acta cryst. section D* **55**, 1405-1413.
- [15] Schweiger, S., Foerster, J., Lehmann, T., Suckow, V., Muller, Y. A., Walter, G., Davies, T., Porter, H., Van Bokhoven, H., Lunt, P. W., Traub, P. & Ropers, H.-H. (1999). The Opitz syndrome gene product, MID1, associates with microtubules. *Proc. Natl. Acad. Sci. USA* **96**, 2794-2799.

- [14] Muller, Y. A., Chen, Y., Christinger, H. W., Li, B., Cunningham, B. C., Lowman, H. B. & de Vos, A. M. (1998). VEGF and the FAB fragment of a humanized neutralizing antibody: crystal structure of the complex at 2.4 Å resolution and mutational analysis of the interface. *Structure* **6**, 1153-1167.
- [13] Muller, Y. A. & Heinemann, U. (1998). Röntgenstrukturanalyse großer Biomoleküle. *Chem. uns. Zeit* **32**, 22-33.
- [12] Müller, A., Müller, J. J., Muller, Y. A., Uhlmann, H. Bernhardt, R. & Heinemann, U. (1998). New aspects of electron transfer revealed by the crystal structure of a truncated bovine adrenodoxin, Adx(4-108). *Structure* **6**, 269-280.
- [11] Muller, Y. A., Kelley, R. F. & de Vos, A. M. (1998). Hinge bending within the cytokine receptor superfamily revealed by the 2.4 Å crystal structure of the extracellular domain of rabbit tissue factor. *Protein Sci.* **7**, 1106-1115.
- [10] Muller, Y. A., Christinger, H. W., Keyt, B. A. & de Vos, A. M. (1997). The crystal structure of vascular endothelial growth factor (VEGF) refined to 1.93 Å resolution: Multiple copy flexibility and receptor binding. *Structure* **5**, 1325-1338.
- [9] Muller, Y. A., Li, B., Christinger, H. W., Wells, J. A., Cunningham, B. C. & de Vos, A. M. (1997). Vascular endothelial growth factor: Crystal structure and functional mapping of the kinase domain receptor binding site. *Proc. Natl. Acad. Sci. USA* **94**, 7192-7197.
- [8] Christinger, H. W., Muller, Y. A., Berleau, L. T., Keyt, B. A., Cunningham, B. C., Ferrara, N. & de Vos, A. M. (1996). Crystallization of the receptor binding domain of vascular endothelial growth factor. *Proteins: Struct. Funct. Genet.* **26**, 353-357.
- [7] Muller, Y. A., Ultsch, M. H. & de Vos, A. M. (1996). The crystal structure of the extracellular domain of human tissue factor refined to 1.7 Å resolution. *J. Mol. Biol.* **256**, 144-159.
- [6] Kossiakoff, A. A., Somers, W., Ultsch, M. H., Andow, K., Muller, Y. A. & de Vos, A. M. (1994). Comparison of the intermediate complexes of human growth hormone bound to the human growth hormone and prolactin receptors. *Protein Sci.* **3**, 1697-1705.
- [5] Muller, Y. A., Ultsch, M. H., Kelley, R. F. & de Vos, A. M. (1994). Structure of the extracellular domain of human tissue factor: Location of the factor VIIa binding site. *Biochemistry* **33**, 10864-10870.
- [4] Muller, Y. A., Schumacher, G., Rudolph, R. & Schulz, G. E. (1994). The refined structures of a stabilized mutant and of wild-type pyruvate oxidase from *Lactobacillus plantarum*. *J. Mol. Biol.* **237**, 315-335.
- [3] Muller, Y. A., Lindqvist, Y., Furey, W., Schulz, G. E., Jordan, F. & Schneider, G. (1993). The thiamine diphosphate fold revealed by comparison of the crystal structures of transketolase, pyruvate oxidase and pyruvate decarboxylase. *Structure* **1**, 95-103.

- [2] Muller, Y. A. & Schulz, G. E. (1993). Structure of the thiamine- and flavin-dependent enzyme pyruvate oxidase. *Science* **259**, 965-967.
- [1] Schulz, G. E., Dreyer, M., Klein, C., Kreusch, A., Mittl, P., Müller, C. W., Müller-Dieckmann, J., Muller, Y. A., Proba, K., Schlauderer, G., Spürgin, P., Stehle, T. & Weiss, M. S. (1992). Highly ordered crystals of channel-forming membrane proteins, of nucleoside-monophosphate kinases, of FAD-containing oxido-reductases and of sugar-processing enzymes and their mutants. *J. Cryst. Growth* **122**, 385-392.